

Afilias Premium Name Enhancement – 21 April 2015

EPP Samples

Price Check Domain Transfer:

```
<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
  xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
  <command>
    <check>
      <domain:check xmlns:domain='urn:ietf:params:xml:ns:domain-1.0'
        xsi:schemaLocation='urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd'>
        <domain:name>premiumtest2.tld</domain:name>
      </domain:check>
    </check>
    <extension>
      <fee:check xmlns:fee='urn:ietf:params:xml:ns:fee-0.7'
        xsi:schemaLocation='urn:ietf:params:xml:ns:fee-0.7 fee-0.7.xsd'>
        <fee:domain>
          <fee:name>premiumtest2.tld</fee:name>
          <fee:command>transfer</fee:command>
        </fee:domain>
      </fee:check>
    </extension>
    <clTRID>CLI-1424191886928</clTRID>
  </command>
</epp>
```

Price Check Domain Transfer Response:

```
<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
  xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
  <response>
    <result code='1000'>
      <msg lang='en-US'>Command completed successfully</msg>
    </result>
    <resData>
      <domain:chkData xmlns:domain='urn:ietf:params:xml:ns:domain-1.0'
        xsi:schemaLocation='urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd'>
        <domain:cd>
          <domain:name avail='0'>premiumtest2.tld</domain:name>
          <domain:reason>In use</domain:reason>
        </domain:cd>
      </domain:chkData>
    </resData>
    <extension>
      <fee:chkData xmlns:fee='urn:ietf:params:xml:ns:fee-0.7'
        xsi:schemaLocation='urn:ietf:params:xml:ns:fee-0.7 fee-0.7.xsd'>
        <fee:cd>
          <fee:name>premiumtest2.tld</fee:name>
          <fee:currency>USD</fee:currency>
          <fee:command>transfer</fee:command>
          <fee:period unit='y'>1</fee:period>
          <fee:fee description='Transfer fee' refundable='1'
            grace-period='P5D'>5.00</fee:fee>
          <fee:class>premium</fee:class>
        </fee:cd>
      </fee:chkData>
    </extension>
    <trID>
      <clTRID>CLI-1424191886928</clTRID>
      <svTRID>SRO-1424191886937</svTRID>
    </trID>
  </response>
</epp>
```

Price Check (Create, Renew, Transfer) Request:

```
<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
  xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
  <command>
    <check>
```

```

    <domain:check xmlns:domain='urn:ietf:params:xml:ns:domain-1.0'
      xsi:schemaLocation='urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd'>
      <domain:name>premiumtest7.tld</domain:name>
    </domain:check>
  </check>
  <extension>
    <fee:check xmlns:fee='urn:ietf:params:xml:ns:fee-0.7'
      xsi:schemaLocation='urn:ietf:params:xml:ns:fee-0.7 fee-0.7.xsd'>
      <fee:domain>
        <fee:name>premiumtest7.tld</fee:name>
        <fee:period unit='y'>1</fee:period>
        <fee:command>create</fee:command>
      </fee:domain>
      <fee:domain>
        <fee:name>premiumtest7.tld</fee:name>
        <fee:period unit='y'>1</fee:period>
        <fee:command>renew</fee:command>
      </fee:domain>
      <fee:domain>
        <fee:name>premiumtest7.tld</fee:name>
        <fee:period unit='y'>1</fee:period>
        <fee:command>transfer</fee:command>
      </fee:domain>
    </fee:check>
  </extension>
  <clTRID>CLI-1424204038413</clTRID>
</command>
</epp>

```

Price Check (Create, Renew, Transfer Response:

```

<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
  xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
  <response>
    <result code='1000'>
      <msg lang='en-US'>Command completed successfully</msg>
    </result>
    <resData>
      <domain:chkData xmlns:domain='urn:ietf:params:xml:ns:domain-1.0'
        xsi:schemaLocation='urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd'>
        <domain:cd>
          <domain:name avail='1'>premiumtest7.tld</domain:name>
        </domain:cd>
      </domain:chkData>
    </resData>
    <extension>
      <fee:chkData xmlns:fee='urn:ietf:params:xml:ns:fee-0.7'
        xsi:schemaLocation='urn:ietf:params:xml:ns:fee-0.7 fee-0.7.xsd'>
        <fee:cd>
          <fee:name>premiumtest7.tld</fee:name>
          <fee:currency>USD</fee:currency>
          <fee:command>create</fee:command>
          <fee:period unit='y'>1</fee:period>
          <fee:fee description='Registration fee' refundable='1'
            grace-period='P5D'>5.00</fee:fee>
          <fee:class>premium</fee:class>
        </fee:cd>
        <fee:cd>
          <fee:name>premiumtest7.tld</fee:name>
          <fee:currency>USD</fee:currency>
          <fee:command>renew</fee:command>
          <fee:period unit='y'>1</fee:period>
          <fee:fee description='Renewal fee' refundable='1'
            grace-period='P5D'>5.00</fee:fee>
          <fee:class>premium</fee:class>
        </fee:cd>
        <fee:cd>
          <fee:name>premiumtest7.tld</fee:name>
          <fee:currency>USD</fee:currency>
          <fee:command>transfer</fee:command>
          <fee:period unit='y'>1</fee:period>
          <fee:fee description='Transfer fee' refundable='1'
            grace-period='P5D'>5.00</fee:fee>
          <fee:class>premium</fee:class>
        </fee:cd>
      </fee:chkData>
    </extension>
    <trID>
      <clTRID>CLI-1424204038413</clTRID>
      <svTRID>SRO-1424204038417</svTRID>
    </trID>
  </response>
</epp>

```

```
        </trID>
    </response>
</epp>
```

Price Check (Create, Renew, Transfer) 2 years Request:

```
<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
  xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
  <command>
    <check>
      <domain:check xmlns:domain='urn:ietf:params:xml:ns:domain-1.0'
        xsi:schemaLocation='urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd'>
        <domain:name>premiumtest7.tld</domain:name>
      </domain:check>
    </check>
    <extension>
      <fee:check xmlns:fee='urn:ietf:params:xml:ns:fee-0.7'
        xsi:schemaLocation='urn:ietf:params:xml:ns:fee-0.7 fee-0.7.xsd'>
        <fee:domain>
          <fee:name>premiumtest7.tld</fee:name>
          <fee:period unit='y'>2</fee:period>
          <fee:command>create</fee:command>
        </fee:domain>
        <fee:domain>
          <fee:name>premiumtest7.tld</fee:name>
          <fee:period unit='y'>2</fee:period>
          <fee:command>renew</fee:command>
        </fee:domain>
        <fee:domain>
          <fee:name>premiumtest7.tld</fee:name>
          <fee:period unit='y'>2</fee:period>
          <fee:command>transfer</fee:command>
        </fee:domain>
      </fee:check>
    </extension>
    <clTRID>CLI-1424204474011</clTRID>
  </command>
</epp>
```

Price Check (Create, Renew, Transfer) 2 years Response:

```
<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
  xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
  <response>
    <result code='1000'>
      <msg lang='en-US'>Command completed successfully</msg>
    </result>
    <resData>
      <domain:chkData xmlns:domain='urn:ietf:params:xml:ns:domain-1.0'
        xsi:schemaLocation='urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd'>
        <domain:cd>
          <domain:name avail='1'>premiumtest7.tld</domain:name>
        </domain:cd>
      </domain:chkData>
    </resData>
    <extension>
      <fee:chkData xmlns:fee='urn:ietf:params:xml:ns:fee-0.7'
        xsi:schemaLocation='urn:ietf:params:xml:ns:fee-0.7 fee-0.7.xsd'>
        <fee:cd>
          <fee:name>premiumtest7.tld</fee:name>
          <fee:currency>USD</fee:currency>
          <fee:command>create</fee:command>
          <fee:period unit='y'>2</fee:period>
          <fee:fee description='Registration fee' refundable='1'
            grace-period='P5D'>10.00</fee:fee>
          <fee:class>premium</fee:class>
        </fee:cd>
        <fee:cd>
          <fee:name>premiumtest7.tld</fee:name>
          <fee:currency>USD</fee:currency>
          <fee:command>renew</fee:command>
          <fee:period unit='y'>2</fee:period>
          <fee:fee description='Renewal fee' refundable='1'
            grace-period='P5D'>10.00</fee:fee>
          <fee:class>premium</fee:class>
        </fee:cd>
        <fee:cd>
          <fee:name>premiumtest7.tld</fee:name>
        </fee:cd>
      </extension>
    </response>
</epp>
```

```

        <fee:currency>USD</fee:currency>
        <fee:command>transfer</fee:command>
        <fee:period unit='y'>2</fee:period>
        <fee:fee description='Transfer fee' refundable='1'
            grace-period='P5D'>10.00</fee:fee>
        <fee:class>premium</fee:class>
    </fee:cd>
</fee:chkData>
</extension>
<trID>
    <clTRID>CLI-1424204474011</clTRID>
    <svTRID>SRO-1424204474016</svTRID>
</trID>
</response>
</epp>

```

Renew Domain with Incorrect Fee:

```

<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
    xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
    <command>
        <renew>
            <domain:renew xmlns:domain='urn:ietf:params:xml:ns:domain-1.0'
                xsi:schemaLocation='urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd'>
                <domain:name>premiumtest3.tld</domain:name>
                <domain:curExpDate>2017-02-11</domain:curExpDate>
                <domain:period unit='y'>1</domain:period>
            </domain:renew>
        </renew>
        <extension>
            <fee:renew xmlns:fee='urn:ietf:params:xml:ns:fee-0.7'
                xsi:schemaLocation='urn:ietf:params:xml:ns:fee-0.7 fee-0.7.xsd'>
                <fee:fee>8</fee:fee>
            </fee:renew>
        </extension>
        <clTRID>CLI-1424192045271</clTRID>
    </command>
</epp>

```

Renew Domain with Incorrect Fee Response:

```

<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
    xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
    <response>
        <result code='2004'>
            <msg lang='en-US'>Parameter value range error</msg>
            <value xmlns:oxrs='urn:afiliat:params:xml:ns:oxrs-1.1'>
                <oxrs:xcp>2004:Parameter value range error (fee does not match)</oxrs:xcp>
            </value>
        </result>
        <trID>
            <clTRID>CLI-1424192045271</clTRID>
            <svTRID>SRW-98790</svTRID>
        </trID>
    </response>
</epp>

```

Renew Domain with correct fee:

```

<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
    xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
    <command>
        <renew>
            <domain:renew xmlns:domain='urn:ietf:params:xml:ns:domain-1.0'
                xsi:schemaLocation='urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd'>
                <domain:name>premiumtest3.tld</domain:name>
                <domain:curExpDate>2017-02-11</domain:curExpDate>
                <domain:period unit='y'>1</domain:period>
            </domain:renew>
        </renew>
    </command>
</epp>

```

```

        <extension>
          <fee:renew xmlns:fee='urn:ietf:params:xml:ns:fee-0.7'
            xsi:schemaLocation='urn:ietf:params:xml:ns:fee-0.7 fee-0.7.xsd'>
            <fee:fee>5</fee:fee>
          </fee:renew>
        </extension>
        <clTRID>CLI-1424192260626</clTRID>
      </command>
    </epp>

```

Renew Domain with correct fee Response:

```

<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
  xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
  <response>
    <result code='1000'>
      <msg lang='en-US'>Command completed successfully</msg>
    </result>
    <resData>
      <domain:renData xmlns:domain='urn:ietf:params:xml:ns:domain-1.0'
        xsi:schemaLocation='urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd'>
        <domain:name>premiumtest3.tld</domain:name>
        <domain:exDate>2018-02-11T16:00:10.0Z</domain:exDate>
      </domain:renData>
    </resData>
    <extension>
      <fee:renData xmlns:fee='urn:ietf:params:xml:ns:fee-0.7'
        xsi:schemaLocation='urn:ietf:params:xml:ns:fee-0.7 fee-0.7.xsd'>
        <fee:currency>USD</fee:currency>
        <fee:fee description='Renewal fee' grace-period='P5D'
          refundable='1'>5.00</fee:fee>
      </fee:renData>
    </extension>
    <trID>
      <clTRID>CLI-1424192260626</clTRID>
      <svTRID>SRW-98791</svTRID>
    </trID>
  </response>
</epp>

```

Transfer Domain with incorrect fee:

```

<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
  xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
  <command>
    <transfer op='request'>
      <domain:transfer xmlns:domain='urn:ietf:params:xml:ns:domain-1.0'
        xsi:schemaLocation='urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd'>
        <domain:name>premiumtest3.tld</domain:name>
        <domain:period unit='y'>2</domain:period>
        <domain:authInfo>
          <domain:pw>my secret</domain:pw>
        </domain:authInfo>
      </domain:transfer>
    </transfer>
    <extension>
      <fee:transfer xmlns:fee='urn:ietf:params:xml:ns:fee-0.7'
        xsi:schemaLocation='urn:ietf:params:xml:ns:fee-0.7 fee-0.7.xsd'>
        <fee:fee>11</fee:fee>
      </fee:transfer>
    </extension>
    <clTRID>CLI-1424192523703</clTRID>
  </command>
</epp>

```

Transfer Domain with incorrect fee Response:

```

<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
  xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
  <response>
    <result code='2004'>
      <msg lang='en-US'>Parameter value range error</msg>
      <value xmlns:oxrs='urn:afiliias:params:xml:ns:oxrs-1.1'>
        <oxrs:xcp>2004:Parameter value range error (fee does not match)

```

```

        </oxrs:xcp>
      </value>
    </result>
  </trID>
  <clTRID>CLI-1424192523703</clTRID>
  <svTRID>SRW-98793</svTRID>
</trID>
</response>
</epp>

```

Transfer Domain with correct fee:

```

<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
  xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
  <command>
    <transfer op='request'>
      <domain:transfer xmlns:domain='urn:ietf:params:xml:ns:domain-1.0'
        xsi:schemaLocation='urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd'>
        <domain:name>premiumtest3.tld</domain:name>
        <domain:period unit='y'>3</domain:period>
        <domain:authInfo>
          <domain:pw>my secret</domain:pw>
        </domain:authInfo>
      </domain:transfer>
    </transfer>
    <extension>
      <fee:transfer xmlns:fee='urn:ietf:params:xml:ns:fee-0.7'
        xsi:schemaLocation='urn:ietf:params:xml:ns:fee-0.7 fee-0.7.xsd'>
        <fee:fee>15</fee:fee>
      </fee:transfer>
    </extension>
    <clTRID>CLI-1424192844890</clTRID>
  </command>
</epp>

```

Transfer Domain with correct fee Response:

```

<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
  xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
  <response>
    <result code='1001'>
      <msg lang='en-US'>Command completed successfully; action pending</msg>
    </result>
    <resData>
      <domain:trnData xmlns:domain='urn:ietf:params:xml:ns:domain-1.0'
        xsi:schemaLocation='urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd'>
        <domain:name>premiumtest3.tld</domain:name>
        <domain:trStatus>pending</domain:trStatus>
        <domain:reID>ClientY</domain:reID>
        <domain:reDate>2015-02-17T17:07:24.0Z</domain:reDate>
        <domain:acID>ClientX</domain:acID>
        <domain:acDate>2015-02-22T17:07:24.0Z</domain:acDate>
        <domain:exDate>2021-02-11T16:00:10.0Z</domain:exDate>
      </domain:trnData>
    </resData>
    <extension>
      <fee:trnData xmlns:fee='urn:ietf:params:xml:ns:fee-0.7'
        xsi:schemaLocation='urn:ietf:params:xml:ns:fee-0.7 fee-0.7.xsd'>
        <fee:currency>USD</fee:currency>
        <fee:fee description='Transfer fee' grace-period='P5D'
          refundable='1' applied='delayed'>15.00</fee:fee>
      </fee:trnData>
    </extension>
    <trID>
      <clTRID>CLI-1424192844890</clTRID>
      <svTRID>SRW-98794</svTRID>
    </trID>
  </response>
</epp>

```

Create Domain with incorrect fee:

```

<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
  xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>

```

```

<command>
  <create>
    <domain:create xmlns:domain='urn:ietf:params:xml:ns:domain-1.0'
      xsi:schemaLocation='urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd'>
      <domain:name>premiumtest5.tld</domain:name>
      <domain:period unit='y'>2</domain:period>
      <domain:ns>
        <domain:hostObj>ns1.testhost1.tld</domain:hostObj>
        <domain:hostObj>ns2.testhost1.tld</domain:hostObj>
      </domain:ns>
      <domain:registrant>OTE-C1</domain:registrant>
      <domain:contact type='tech'>OTE-C2</domain:contact>
      <domain:contact type='admin'>OTE-C3</domain:contact>
      <domain:contact type='billing'>OTE-C4</domain:contact>
      <domain:authInfo>
        <domain:pw>my secret</domain:pw>
      </domain:authInfo>
    </domain:create>
  </create>
  <extension>
    <fee:create xmlns:fee='urn:ietf:params:xml:ns:fee-0.7'
      xsi:schemaLocation='urn:ietf:params:xml:ns:fee-0.7 fee-0.7.xsd'>
      <fee:fee>100</fee:fee>
    </fee:create>
  </extension>
  <clTRID>CLI-1424193044531</clTRID>
</command>
</epp>

```

Create Domain with incorrect fee Response:

```

<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
  xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
  <response>
    <result code='2004'>
      <msg lang='en-US'>Parameter value range error</msg>
      <value xmlns:oxrs='urn:afiliat:params:xml:ns:oxrs-1.1'>
        <oxrs:xcp>2004:Parameter value range error (fee does not match)</oxrs:xcp>
      </value>
    </result>
    <trID>
      <clTRID>CLI-1424193044531</clTRID>
      <svTRID>SRW-98795</svTRID>
    </trID>
  </response>
</epp>

```

Create Domain with correct fee:

```

<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
  xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
  <command>
    <create>
      <domain:create xmlns:domain='urn:ietf:params:xml:ns:domain-1.0'
        xsi:schemaLocation='urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd'>
        <domain:name>premiumtest5.tld</domain:name>
        <domain:period unit='y'>2</domain:period>
        <domain:ns>
          <domain:hostObj>ns1.testhost1.tld</domain:hostObj>
          <domain:hostObj>ns2.testhost1.tld</domain:hostObj>
        </domain:ns>
        <domain:registrant>OTE-C1</domain:registrant>
        <domain:contact type='tech'>OTE-C2</domain:contact>
        <domain:contact type='admin'>OTE-C3</domain:contact>
        <domain:contact type='billing'>OTE-C4</domain:contact>
        <domain:authInfo>
          <domain:pw>my secret</domain:pw>
        </domain:authInfo>
      </domain:create>
    </create>
    <extension>
      <fee:create xmlns:fee='urn:ietf:params:xml:ns:fee-0.7'
        xsi:schemaLocation='urn:ietf:params:xml:ns:fee-0.7 fee-0.7.xsd'>
        <fee:fee>10</fee:fee>
      </fee:create>
    </extension>
    <clTRID>CLI-1424193541725</clTRID>
  </command>
</epp>

```

```
</command>
</epp>
```

Create Domain with correct fee Response:

```
<?xml version='1.0' encoding='UTF-8'?>
<epp xmlns='urn:ietf:params:xml:ns:epp-1.0' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
  xsi:schemaLocation='urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd'>
  <response>
    <result code='1000'>
      <msg lang='en-US'>Command completed successfully</msg>
    </result>
    <resData>
      <domain:creData xmlns:domain='urn:ietf:params:xml:ns:domain-1.0'
        xsi:schemaLocation='urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd'>
        <domain:name>premiumtest5.tld</domain:name>
        <domain:crDate>2015-02-17T17:19:01.0Z</domain:crDate>
        <domain:exDate>2017-02-17T17:19:01.0Z</domain:exDate>
      </domain:creData>
    </resData>
    <extension>
      <fee:creData xmlns:fee='urn:ietf:params:xml:ns:fee-0.7'
        xsi:schemaLocation='urn:ietf:params:xml:ns:fee-0.7 fee-0.7.xsd'>
        <fee:currency>USD</fee:currency>
        <fee:fee description='Registration fee' grace-period='P5D'
          refundable='1'>10.00</fee:fee>
      </fee:creData>
    </extension>
    <trID>
      <clTRID>CLI-1424193541725</clTRID>
      <svTRID>SRW-98799</svTRID>
    </trID>
  </response>
</epp>
```